



Fulbright
Product Catalog
2025



CONTENT

- Company Profile
- Disposable Powered Articulating Endoscopic Linear Cutter Stapler & Reloads
 - Thorapler
 - 3D Tile-Shaped Staple Reloads
 - Lunar S Pro
 - Lunar U Pro
 - S Series
 - Stepwise Staple Reloads
 - Lunar S
 - Lunar U
 - Hyperforce
 - D Series 2023
 - Curved Tip
 - Flat Deck Reloads
 - FulGrip Reloads
 - Dolphin-Head Staple Reload
- Disposable Endoscopic Linear Cutter Stapler & Reloads
 - DR Series
 - FR Series
 - Flat Deck Reloads
 - FulGrip Reloads
- Disposable Endoscopic Trocar
 - Flagship
 - Mini
- Disposable Endoscopic Specimen Retrieval Bags & Ligating Loops
- Open Staplers
 - Disposable Linear Cutter Stapler & Reloads
 - Disposable Linear Stapler & Reloads
 - Disposable Curved Cutter Stapler & Reloads
 - Disposable Circular Staplers
 - Disposable Hemorrhoidal Staplers

Fulbright Profile

More than

250,000

new patients benefit from

Fulbright staplers

each year!




WE THINK NEXT


Disposable Powered Articulating Endoscopic Linear Cutter Stapler & Reloads




Thorapler



Lunar S & Pro




Lunar U & Pro



Hyperforce



D Series 2023
& S series



Thorapler

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FSMS45	280	15	3
FSMM45	340	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

30mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FSMS30	280	15	3
FSMM30	340	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package


Model	Voltage	Capacity
-------	---------	----------

DMB	12V	1550mAh
-----	-----	---------

Battery



3D Tile-Shaped Staple Reloads for Thorapler (TS Reloads)



45mm

Model	Color	Tissue Type	Open Staple Height (mm)	Closed Staple Height (mm)	Pcs/Carton
DMCC45	Gray	Small blood vessels/Veins	2.5	0.75	144
DMCW45	White	Vascular	2.5	1.0	144
DMCB45	Blue	General lung tissues	3.5	1.5	144
DMCY45	Gold	Segmental bronchi/thick lung tissues	3.8	1.8	144
DMCG45	Green	Lobar bronchus/Thicker lung tissues	4.1	2.0	144

30mm

Model	Color	Tissue Type	Open Staple Height (mm)	Closed Staple Height (mm)	Pcs/Carton
DMCC30	Gray	Small blood vessels/Veins	2.5	0.75	144
DMCW30	White	Vascular	2.5	1.0	144
DMCB30	Blue	General lung tissues	3.5	1.5	144
DMCY30	Gold	Segmental bronchi/thick lung tissues	3.8	1.8	144
DMCG30	Green	Lobar bronchus/Thicker lung tissues	4.1	2.0	144

Lunar S Pro

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DNAS60	280	15	3
DNAM60	340	15	3
DNAL60	440	15	3

Attachment Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DNAS45	280	15	3
DNAM45	340	15	3
DNAL45	440	15	3

Attachment Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



Lunar U Pro

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSAS60	280	15	3
DSAM60	340	15	3
DSAL60	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSAS45	280	15	3
DSAM45	340	15	3
DSAL45	440	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



S Series

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DNMS60	280	15	3
DNMM60	340	15	3
DNML60	440	15	3

Attachment Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DNMS45	280	15	3
DNMM45	340	15	3
DNML45	440	15	3

Attachment Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
FMB	12V	1550mAh

Battery



Stepwise Staple Reloads for Lunar S&U Pro and S Series Powered Stapler

60mm



Model	Color	Rows	Open Staple Height(mm)	Pcs/Carton
DACW60	White	6	2.5	144
DACT60	Tan	6	2.5/3.0/3.5	144
DACP60	Purple	6	3.5/3.8/4.1	144
DACX60	Black	6	4.1/4.4/4.7	144

45mm



Model	Color	Rows	Open Staple Height(mm)	Pcs/Carton
DACW45	White	6	2.5	144
DACT45	Tan	6	2.5/3.0/3.5	144
DACP45	Purple	6	3.5/3.8/4.1	144
DACX45	Black	6	4.1/4.4/4.7	144

Lunar S

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FNAS60	280	15	3
FNAM60	340	15	3
FNAL60	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FNAS45	280	15	3
FNAM45	340	15	3
FNAL45	440	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



Lunar U

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FSAS60	280	15	3
FSAM60	340	15	3
FSAL60	440	15	3

Attachment
Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FSAS45	280	15	3
FSAM45	340	15	3
FSAL45	440	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



Hyperforce

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FNMS45	280	15	3
FNMM45	340	15	3
FNML45	440	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
HFP	12V	1550mAh

Battery



D Series 2023

60mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSMS60	280	15	3
DSMM60	340	15	3
DSML60	440	15	3

Attachment Reloads Remover



* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
DSMS45	280	15	3
DSMM45	340	15	3
DSML45	440	15	3

Attachment Reloads Remover




* Reloads remover and curved tip included in the package


Model	Voltage	Capacity
FMB	12V	1550mAh

Battery





Curved Tip
Need extra assist to bypass vessels?



*Please contact our representative if needed

Flat Deck Reloads for Lunar S&U / Hyperforce / D Series Powered Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FMCC60	Grey	6	Mesentery	2.5	0.75	144
FMCW60	White	6	Vascular	2.5	1.0	144
FMCB60	Blue	6	Standard	3.5	1.5	144
FMCY60	Gold	6	Standard/Thick	3.8	1.8	144
FMCG60	Green	6	Thick	4.1	2.0	144
FMCX60	Black	6	Very Thick	4.4	2.3	144

45mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FMCC45	Grey	6	Mesentery	2.5	0.75	144
FMCW45	White	6	Vascular	2.5	1.0	144
FMCB45	Blue	6	Standard	3.5	1.5	144
FMCY45	Gold	6	Standard/Thick	3.8	1.8	144
FMCG45	Green	6	Thick	4.1	2.0	144
FMCX45	Black	6	Very Thick	4.4	2.3	144

FulGrip Reloads for Lunar S&U / Hyperforce / D Series Powered Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACC60	Grey	6	Mesentery	2.5	0.75	144
FACW60	White	6	Vascular	2.5	1.0	144
FACB60	Blue	6	Standard	3.5	1.5	144
FACY60	Gold	6	Standard/Thick	3.8	1.8	144
FACG60	Green	6	Thick	4.1	2.0	144
FACX60	Black	6	Very Thick	4.4	2.3	144

45mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACC45	Grey	6	Mesentery	2.5	0.75	144
FACW45	White	6	Vascular	2.5	1.0	144
FACB45	Blue	6	Standard	3.5	1.5	144
FACY45	Gold	6	Standard/Thick	3.8	1.8	144
FACG45	Green	6	Thick	4.1	2.0	144
FACX45	Black	6	Very Thick	4.4	2.3	144

Lunar S & U 30

30mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FNAS30	280	15	3
FNAM30	340	15	3
FNAL30	440	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



30mm



Model	Shaft Length(mm)	Max Firings	Pcs/Carton
FSAS30	280	15	3
FSAM30	340	15	3
FSAL30	440	15	3

Attachment
Reloads Remover



* Reloads remover and curved tip included in the package

Model	Voltage	Capacity
DMB	12V	1550mAh

Battery



Dolphin-Head Staple Reloads

30mm



Model	Color	Rows	Tissue Type	Open Staple Height (mm)	Closed Staple Height (mm)	Pcs/Carton
FMCW30	White	6	Vascular	2.5	1.0	144
FMCB30	Blue	6	Standard	3.5	1.5	144
FMCG30	Green	6	Thick	4.1	2.0	144


Disposable Endoscopic Linear Cutter Stapler & Reloads



DR Series



FR Series



DR Series

60mm



Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
DRES60	280	Yes	15	3
DREM60	340	Yes	15	3
DREL60	440	Yes	15	3

* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
DRES45	280	Yes	15	3
DREM45	340	Yes	15	3
DREL45	440	Yes	15	3

* Reloads remover and curved tip included in the package

FR Series

60mm



Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
FRES60	280	Yes	12	3
FREM60	340	Yes	12	3
FREL60	440	Yes	12	3

* Reloads remover included in the package, curved tip is optional

45mm



Model	Shaft Length(mm)	Articulation	Max Firings	Pcs/Carton
FRES45	280	Yes	12	3
FREM45	340	Yes	12	3
FREL45	440	Yes	12	3

* Reloads remover and curved tip included in the package

Flat Deck Reloads for DR & FR Series Manual Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACU60	Gray	6	Mesentery	2.5	0.75	144
FACV60	White	6	Vascular	2.5	1.0	144
FACS60	Blue	6	Standard	3.5	1.5	144
FACM60	Gold	6	Standard/Thick	3.8	1.8	144
FACT60	Green	6	Thick	4.1	2.0	144
FACH60	Black	6	Very Thick	4.4	2.3	144

45mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FACU45	Gray	6	Mesentery	2.5	0.75	144
FACV45	White	6	Vascular	2.5	1.0	144
FACS45	Blue	6	Standard	3.5	1.5	144
FACM45	Gold	6	Standard/Thick	3.8	1.8	144
FACT45	Green	6	Thick	4.1	2.0	144
FACH45	Black	6	Very Thick	4.4	2.3	144

FulGrip Reloads for DR & FR Series Manual Stapler

60mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FRCU60	Gray	6	Mesentery	2.5	0.75	144
FRCV60	White	6	Vascular	2.5	1.0	144
FRCS60	Blue	6	Standard	3.5	1.5	144
FRCM60	Gold	6	Standard/Thick	3.8	1.8	144
FRCT60	Green	6	Thick	4.1	2.0	144
FRCH60	Black	6	Very Thick	4.4	2.3	144

45mm



Model	Color	Rows	Tissue Type	Open Staple Height(mm)	Closed Staple Height(mm)	Pcs/Carton
FRCU45	Gray	6	Mesentery	2.5	0.75	144
FRCV45	White	6	Vascular	2.5	1.0	144
FRCS45	Blue	6	Standard	3.5	1.5	144
FRCM45	Gold	6	Standard/Thick	3.8	1.8	144
FRCT45	Green	6	Thick	4.1	2.0	144
FRCH45	Black	6	Very Thick	4.4	2.3	144

Disposable Endoscopic Trocar



Flagship Series



Mini Series



Flagship



Model	Shaft Diameter(mm)	Obturator Material	Shaft Length(mm)	Pcs/Carton
BLTC5	5	Stainless Steel	100	16
BLTC10	10	Stainless Steel	100	16
BLTC12	12	Stainless Steel	100	16
BLTC15	15	Stainless Steel	100	16



Model	Shaft Diameter(mm)	Obturator Material	Shaft Length(mm)	Pcs/Carton
FXPC12	12	PC	152	16



Model	Shaft Diameter(mm)	Sleeve	Shaft Length(mm)	Pcs/Carton
B5LT	5	Stability	100	12
B10LT	10	Stability	100	12
B12LT	12	Stability	100	12
B15LT	15	Stability	100	12
F12XP	12	Stability	152	12

Mini



Model	Shaft Diameter(mm)	Obturator Material	Shaft Length(mm)	Pcs/Carton
BLPC5	5	Stainless Steel	100	16
BLPC10	10	Stainless Steel	100	16
BLPC12	12	Stainless Steel	100	16



Model	Shaft Diameter(mm)	Sleeve	Shaft Length(mm)	Pcs/Carton
B5LP	5	Stability	100	12
B10LP	10	Stability	100	12
B12LP	12	Stability	100	12

Disposable Endoscopic Specimen Retrieval Bags & Ligating Loops



Disposable Endoscopic
Specimen Retrieval Bags



Disposable Endoscopic
Ligating Loops



Disposable Endoscopic Specimen Retrieval Bags



Model	Capacity(mm)	Description	Diameter(mm)	Pcs/Carton
FRC4-10	150	120 x 150mm with New Net Bag(PC tube)	10	12
HRC6-10	1200	150 x 240mm with PU Bag(PC tube)	10	12

Disposable Endoscopic Ligating Loops



Model	Loop Diameter(mm)	Suture Diameter(mm)	Pcs/Carton
FL10	240	0.350-0.399	72
FL20	240	0.300-0.349	72
HL10	300	0.350-0.399	72
HL20	300	0.300-0.349	72

Open Staplers



Disposable Linear Cutter
Stapler & Reloads



Disposable Linear Stapler
& Reloads



Disposable Curved Cutter
Stapler & Reloads



Disposable Circular Staplers



Disposable Hemorrhoidal
Staplers



Disposable Linear Cutter Stapler

1. The cutter is made by imported stainless steel 440
2. Tissue retaining button designed to protect good firing and good staple formed
3. 55mm, 75mm, 100mm sizes for your good choice



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Maximum Firings	Pcs / Carton
FALC(S)-55	Blue	Standard	3.85mm	1.5mm	8	12
FALC(T)-55	Green	Thick	4.5mm	2.0mm	8	12
FALC(S)-75	Blue	Standard	3.85mm	1.5mm	8	12
FALC(M)-75	Gold	Standard/Thick	4.2mm	1.8mm	8	12
FALC(T)-75	Green	Thick	4.5mm	2.0mm	8	12
FALC(S)-100	Blue	Standard	3.85mm	1.5mm	8	10
FALC(T)-100	Green	Thick	4.5mm	2.0mm	8	10

Disposable Linear Cutter Stapler Reloads



Model	Color	Rows	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FALC(S)-55-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(T)-55-DC	Green	4	Thick	4.5mm	2.0mm	48
FALC(S)-75-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(M)-75-DC	Gold	4	Standard/Thick	4.2mm	1.8mm	48
FALC(T)-75-DC	Green	4	Thick	4.5mm	2.0mm	48
FALC(S)-100-DC	Blue	4	Standard	3.85mm	1.5mm	48
FALC(T)-100-DC	Green	4	Thick	4.5mm	2.0mm	48

Disposable Linear Stapler

1. Automatic remote manual pin placement
2. Special anvil design for cutting operating of Doctor' s knife
3. 3.30mm, 45mm, 60mm , 90mm sizes for your good choice



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Reload included	Pcs / Carton
FLS(S)-30	Blue	Standard	3.5mm	1.5mm	FLS(S)-30-DC	3
FLS(T)-30	Green	Thick	4.8mm	2.0mm	FLS(T)-30-DC	3
FLS(S)-45	Blue	Standard	3.5mm	1.5mm	FLS(S)-45-DC	3
FLS(T)-45	Green	Thick	4.8mm	2.0mm	FLS(T)-45-DC	3
FLS(S)-60	Blue	Standard	3.5mm	1.5mm	FLS(S)-60-DC	3
FLS(T)-60	Green	Thick	4.8mm	2mm	FLS(T)-60-DC	3
FLS(S)-90	Blue	Standard	3.5mm	1.5mm	FLS(S)-90-DC	3
FLS(T)-90	Green	Thick	4.8mm	2.0mm	FLS(T)-90-DC	3

Disposable Linear Stapler Reloads



Model	Color	Tissue Type	Open Staple Height	Closed Staple Height	Pcs / Carton
FLS(S)-30-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-30-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-45-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-45-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-60-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-60-DC	Green	Thick	4.8mm	2.0mm	96
FLS(S)-90-DC	Blue	Standard	3.5mm	1.5mm	96
FLS(T)-90-DC	Green	Thick	4.8mm	2.0mm	96

Disposable Curved Cutter Staplers



Model	Color	Open Staple Height	Closed Staple Height	Reload Included	Pcs / Carton
FCS(T)-45	Green	4.7mm	2.0mm	FCS(T)-45-DC	3

Disposable Curved Cutter Stapler Reloads



Model	Color	Open Staple Height	Closed Staple Height	Pcs / Carton
FCS(T)-45-DC	Green	4.7mm	2.0mm	96

Disposable Circular Staplers



Model	Lumen	Shaft Length	Head Diameter	Height	Closed Staple Height	Pcs / Carton
FAEEA-21	12.2mm	44.5cm	21mm	5mm	1.0-2.5mm adjustable	12
FAEEA-25	16.2mm	44.5cm	25mm	5mm	1.0-2.5mm adjustable	12
FAEEA-26	17.2mm	44.5cm	26mm	5mm	1.0-2.5mm adjustable	12
FAEEA-29	20.2mm	44.5cm	29mm	5mm	1.0-2.5mm adjustable	12
FAEEA-32	23.2mm	44.5cm	32mm	5mm	1.0-2.5mm adjustable	12
FAEEA-33	24.2mm	44.5cm	33mm	5mm	1.0-2.5mm adjustable	12

Disposable Hemorrhoidal Staplers(PPH Set)



Model	Size	Description	Pcs / Carton
FAPPH-32	32	includes Hemorrhoidal circular stapler 32mm,34mm suture threader,circular anal dilator and purse string anoscope	3
FAPPH-34	34		3



Fulbright Medical

Address: Room 2301, Aurora Plaza, No.99 FuCheng Road, Shanghai, China

E-mail: enquiry.obd@fulbrightmed.com



fulbrightmed.com



Fulbright Medical

Scan the QR code to join us!